

**STUDY TO ASSESS THE REASONS FOR LOW ATTENDANCE
OF CHILDREN AT AWCS IN I.C.D.S. JUNAGARH DISTRICT**

**Dissertation
At
Integrated Child Development Scheme,
Junagadh, Gujarat**

**By
Arvind Mishra**

**Under the guidance of
Dr. Neetu Purohit**

**MBA Hospital & Health Management
2013–15**


**Institute of Health Management Research
Jaipur
2015**

TO WHOMSOEVER MAY CONCERN

This is to certify that Dr. Arvind Mishra student of MBA in Hospital and Health Management from the IIHMR University, Jaipur has undergone internship training at I.C.D.S. Junagadh from 10th March to 10th May 2015.

This candidate has successfully carried out the study designated to him during internship training and his approach to the study has been sincere, scientific and analytical.

The Internship is in fulfilment of the course requirement.

I wish him all the success in all his future endeavours.




Dr. Ashok Kaushik
Dean, Academics and Student Affairs
IIHMR, Jaipur



Dr. Neetu Purohit
Associate Professor,
IIHMR, Jaipur

CERTIFICATE BY SCHOLAR

This is certified that the dissertation titled "**A study to assess the reasons for low attendance of children at AWCs in I.C.D.S. Junagarh District**" and submitted by Dr. Arvind Mishra, Enrollment No. 1427 under the supervision of Dr. Neetu Purohit for award of MBA in Hospital and Health Management of the university carried out during the period March 10 to May 10, 2015 embodies my original work and has not formed the basis for the award of any degree, diploma associated ship, fellowship, title in this or any other similar Institution or other similar institution of higher learning.


Signature

Acknowledgement

At the completion of my dissertation I would like to show my sincere gratitude to the ICDS Gujarat authority, especially to the Principal Secretary, Smt. Anuradha Mall, IAS, Principal Secretary for providing me such an opportunity. Without his consent support and guidance it would never be a success.

I wish to express my deep sense of gratitude to my District Development officer, Mr. Ajay Prakash (IAS) and Mrs. J.V.Chawada Incharge Programme officer ICDS Junagadh, for their constant help and cooperation, able guidance, valuable suggestion and inspiration. He was kind enough to give his valuable time from his extremely busy schedule.

Words are inadequate to offer my thanks to all the respected staff at ICDS Gujarat for their able guidance and support throughout the dissertation period.

I am glad to acknowledge Dr.S.D. Gupta, President of The IIHMR, University and my guide Dr. Neetu Purohit, Associate Professor, IIHMR, for incorporating right attitude in me towards learning and for helping and supporting whenever required. I am grateful to them for giving me an opportunity to learn administrative styles.

I genuinely thank my parents, family and friends for their blessings and support.

Dr.Arvind Mishra

(MBA-18)

Dissertation Report

on

**A study to assess the reasons for low attendance at
AWCs in Junagarh District**

Index

Sr. No	Content	Page Number
	List of Figure/ Tables	7
	Abbreviation	8
	Assessing the factors responsible for low strength of children at AWC in Integrated Child Development Services (ICDS)	5
1	Abstract	9
2	Introduction	11
3	Review of Literature	16
4	Rationale for the study	20
5	Research Question	20
6	Objective	20
7	Methodology	21
8	Results and Discussion	22
9	Conclusion	28
10	Recommendations	29
11	Reference	30
	Annexure	31

List of Figures/ Tables

List of Tables	
Table No 1	Association between Religion & low strength of children at AWC in ICDS
Table No 2	Association between Household Occupation & Supplementary food provided at Anganwadi Centre
Table No 3	Association between Family Types & low strength of children at AWC in ICDS
Table No 4	Association between Family Types & Supplementary Food
Table No 5	Association between Household Occupation & Immunization Status
Table No 6	Association between Preschool Education & Household Occupation

List of Figures	
Figure No 1	Awareness about the ICDS Services
Figure No 2	Awareness about ICDS services among Religion
Figure No 3	Behavior of Anganwadi Worker
Figure No 4	Services Available at ICDS
Figure No 5	Factors responsible for low strength of children at AWC

Abbreviation

AG's	Adolescent Girls
AWC	AnganwadiCentres
ANM	Auxiliary Nurse & Midwifery
ANC	Ante-Natal Check-up
CDPO	Children Development Project Officer
DWCD	Department of Women and Child Development
ECE	Early Childhood Education
EBF	Exclusive Breast Feeding
ICDS	Integrated Child Development Services
IEC	Information, Education & Communication
IFA	Iron & folic acid
GM	Growth Monitoring
MCH	Maternal and Child Health
NFHS	National Family Health Survey
NM	Nursing Mothers
PHC	Primary Health Centre
PNC	Post- Natal Care
PSE	Pre-School Education
SES	Socio-economic Status
SF	Supplementary Food
UIP	Universal Immunization Programme
WHO	World Health Organization

Abstract

This study evaluated the factors responsible for low strength of children at AWCs run by ICDS Gujarat in Junagadh District. 20 AWCs situated in Mangrol and Veraval were covered. Total 100 enrolled children aged 0 to 6 years residing in ICDS area were selected for the study and information was gathered from their mothers.

The present study has observed that there are socio-cultural, behavioural barriers like taboos, female-literacy, literacy of the decision maker of the decision maker of the family, occupation of the woman, socio-economic status, and type of the family and gender of the child are affecting the utilization of ICDS services.

Majority of the respondents children (74%) belong to the age group 3-5 year, and 24% belong to the 1-3 Year age group. 69% of the respondents children have 1-3 siblings and 31% have 4-6 siblings. 96% of the children have less than 4 Birth order and 4% have birth order more than 4. Household occupation of majority of respondents were labour work (50% and 40% of Mangrol and Veraval Block) and respondents had occupation of farming (30% and 38% of Mangrol and Veraval Block). Type of the household of the majority of respondents were Pucca house (73%) and 25% respondents reside in semikuccha house. The present study revealed that majority were Hindu (82% and 75% of Mangrol and Veraval Block) and rest were muslim (12% and 20% of Mangrol and Veraval Block). Among them, 78% and 75% belonged to Joint family and 22% and 25% belong to nuclear family as respective Block (Mangrol and Veraval).

The present study revealed that majority of the respondents (59% and 65% of Mangrol and Veraval Block) belongs from joint family and were aware about the supplementary nutrition provided at the Anganwadicentre and (32% and 40% of Mangrol and Veraval Block) respondents were aware about the Immunization services of the Anganwadi. On the other hand, Awareness about the Preschool Education & Early childhood Education is low of (22% and 35% of Mangrol and Veraval Block) among the respondents.

About (20% and 5% of Mangrol and Veraval Block) of children below 6 years were not coming regularly at the Anganwadicentre due to poor physical infrastructure and (41% and 22% of Mangrol and Veraval Block) not coming regularly were due to increased distance to the

Anganwadicentre. (30% and 55% of Mangrol and Veraval Block) low strength was due to overlapping of Anganwadi timing with primary

school, as (18% and 38% of Mangrol and Veraval Block) of the respondents felt that teaching in English medium private school would enhance more their child knowledge compare to Anganwadi Preschool and Early Childhood Education.

Besides that the basic & majority of the qualification of Anganwadi worker of the Junagadh district were not more than 9th Class passed as majority of them are widowed. So, the quality of Preschool education & Early Childhood Education at the Anganwadi Centre is low compare to English Medium Primary school.

Last but not the least, that the Anganwadi Preschool Education is provided free of cost at the Anganwadicentre and free service is not valued much compared to paid service. So, Diversion towards the English medium primary school was also among the reason for Low strength of children at Anganwadi Centre of ICDS.

Adequate funds should be allotted to improve the physical infrastructure of AWCs and provide them with basic facilities. Training for the staff should emphasize the value of their work, impart skills to mobilize community support, and also sensitize them about the Right to Participation of children in AWCs. Government should emphasize and strongly enforce the convergence of services to children through different departments. The focus of ICDS should shift to providing quality PSE as the main task, with nutrition and health services playing roles similar to the Mid Day Meals Scheme in schools.

Introduction

Children are our most precious resources and are the citizens of tomorrow, so nurturing our children is an investment. Hence, we should ensure a brilliant future for our children. ICDS in India is world's unique and largest integrated early childhood program with over 12.4 lakhs centers nationwide. It was launched on 2nd October 1975, on the 106th birth anniversary of Mahatma Gandhi 'The Father of our Nation'. ICDS is the symbol of India's commitment to her children. It provides an opportunity for the holistic development of children from vulnerable backgrounds.

The average Indian child has a poor start to life i.e. infant & under 5 mortality rates of Indian children are 49% and 65% respectively and are higher than the developing country average. One in four access to adequate sanitation facilities. The major factor is the country's high Maternal Mortality Ratio of 540 deaths per one lakh live births. The ICDS programme covers over 4.8 million expectant and nursing mothers and over 23 million children under six age.

Globally, more than 10 million children, of under five years of age, are living in poor countries and every minute 20 children die mostly from preventable causes. India alone accounts for almost 5,000 deaths of under-five years children (U5) every day. In 1975, the Integrated Child Development Scheme (ICDS) was launched in the country to provide integrated health and nutrition services focusing upon the holistic development of children at the village level.

India's neonatal mortality, which accounts for almost 50 per cent of the U5 deaths, is one of the highest in the world. India launched the Universal Immunization Programme (UIP) in 1985. Yet full immunization in India had reached only 43.5 per cent of children by 2005-06, as per the NFHS 3.

Immunization is one of the most cost-effective interventions for preventing a series of major childhood illness, particularly in environments where children are undernourished and may die from vaccine-preventable diseases. Immunization has been one of the priority programmes since independence in 1947. To achieve the goal of protecting the target population and reduce the incidence of diseases, it is necessary to generate demand and also to make potent and effective vaccine and immunization services available and accessible.

As there is an important role of the mothers in child development, Pregnant and nursing/lactating mothers were also included in the ICDS coverage. ICDS offers a package of services which includes health check-ups, supplementary nutrition, pre-school education, etc.

The decline in child malnutrition has been very slow over the last 15 years from 51.1 per cent in 1992-93 (NFHSI) to 45.9 per cent in 2005-06 (NFHS-III).

This slow decline is in spite of ICDS Scheme which has been functional since 1975 and rapid economic growth post-1990. The ICDS services have been expanded tremendously over its 30 years of operation to cover almost all development blocks in India and offers a wide range of health, nutrition and education services to children, women and adolescent girls. However, while the program is intended to target the needs of the poorest and the most undernourished, as well as the age groups that represent a significant "window of opportunity" for nutrition investments (i.e. Children under three, pregnant and lactating women), there is a mismatch between the program's intentions and its actual implementation.

The Department of Women and Child Development's (DWCD) emphasis on a "life-cycle approach" means that malnutrition is fought through interventions targeted at unmarried adolescent girls, pregnant women, mothers and children aged 0 to 6 years.

Although ICDS coverage is fairly high; Women with one or more children born in the 6 years before the survey when asked about benefits received from an AWC for their young children and benefits they themselves received during pregnancy and while breastfeeding, it was observed that only 28% of children under age 6 years received any service from an AWC in the last year. The services received by these children are also not satisfactory. Children receiving any service consisted of 33% Only 26% and 23% beneficiaries received the services of supplementary feeding and preschool education respectively.

- The coverage of health component of the services like immunization, health check up and referral is dismal only 20%, 18% and 16% respectively.
- The coverage of the other beneficiaries' viz. Pregnant and lactating women is further lower. As much as 78% of pregnant mother and 83% of the lactating mother did not receive any services from the AWC.

Of those who received some services only 21% of the pregnant women and 17% of the lactating women received supplementary food and Health check up was received by 12% & 9%

respectively. Nutrition education was received by 11% of Pregnant and lactating mothers who received any services (NFHS3).

The 2011 Global Hunger Index (GHI) Report ranked India 15th, amongst leading countries with hunger situation. It also places India amongst the three countries where the GHI between 1996 and 2011 went up from 22.9 to 23.7, while 78 out of the 81 developing countries studied, including Pakistan, Nepal, Bangladesh, Veitnam, Kenya, Nigeria, Myanmar, Uganda, Zimbabwe and Malawi, succeeded in improving hunger condition.

"Malnutrition kills 5 million children every year..... One child every 6 seconds.

While breastfeeding is nearly universal in India, less than half of children (46%) are fed only breast milk for the first 6 months. Exclusive breastfeeding is slightly higher among the non-educated mothers and in rural areas. Work conditions and access to breast milk substitutes may impact the feeding pattern among urban and better educated mothers.

Only 23.4% of children are breastfed within one hour of birth and the prevalence is significantly lower among the non-educated mothers and in rural areas. However, there has been an overall improvement from 9.5% in 1992-93 to 16% in 1998-99.

Around 32 million children in India in the 0-6 year age group do not have access to basic education and healthcare services, says a report called "Status of Children in India 2008.

About 164 million children in India are in the 0-6 year age group, of whom about 60 million are in the age group of 3-6 years. "Over six million of these children are slum dwellers, where basic services seldom reach," the report says.

Review of Literature

The National Family Health Survey (NFHS-3) ICDS pre-school education 23%: 20% - immunization coverage: 18% - Growth Monitoring: 16% - Health Checkups. Woman's who used ICDS Pregnant woman with no services has 78%, Supplementary food with 21%, Health Check up with 12%, Health/Nutrition education with 11%. Nursing woman with No services has 83%, Supplementary food has 17%, Health Check up has 9%, Health/Nutrition Education has 8%.[1]

62% of the women were currently utilizing in the ICDS programme. 23.7% had never used ICDS services. The most frequented services were supplementary nutrition (97.3%), tetanus toxoid prophylaxis (89.3%), and iron and folic acid prophylaxis (87.1%). 62.8% of the women participating in the supplementary nutrition program took the food home to share with family members. The major reasons for never using ICDS services were: could not spare time (53.5%) and working outside the household for long hours (50%) . 15% were never approached by an Anganwadi worker and were therefore not aware of ICDS services or the workers did not have an encouraging attitude. Other possible contributing factors to under- or non-utilization were high illiteracy (61%) and unawareness of ICDS services among heads of households (94.9%).[2]

Children Aged 3-6 Years: 63.5% was from age group of 25-35 years and 79% were illiterate, distribution of supplementary food was considered useful by all the respondents. Majority of mothers immunized their children 94%, Health check up of children was 87.5%, only 12.5% opinioned that check up should be done to supervise growth. 91% of the mothers knew that weight was recorded regularly. Antenatal Services: 24.5% felt the necessity of regular check up was to know the place of delivery, while other 90% wanted to know the well being of the baby.[3]

Median age of mothers was 27 years in both the groups, educational status in Group I was primary schooling were as Group II was illiterate: type of family in Group I was nuclear and in Group 2 was joint family. Group I: 93% had enrolled their children in age group of 1-3 years to AWC, all the mothers knew about the supplementary food provided in the AWC, 73% mothers knew the nutritional status of their children by the AWW, all AWW did regular growth monitoring for the children, 87% mothers told that their children received supplementary food

from the AWC. 67% of mothers had positive attitude regarding AWC and observed some changes in their children after enrolling in AWC.[4]

First reason was poor co-operation from the villagers and the parents, irregular and poor health check up activities. The second reason followed that mothers failed to follow medical and dietary advice as they remained busy in their seasonal agricultural works. The third and fourth reasons were poverty and poor sanitation. The major mothers issue was related to poor quality of supplementary food.[5]

A cross sectional study on the “Evaluation of Integrated Child Development Services (ICDS)” in 2005, at 4 blocks in Haryana showed that 64.4% were children of 3-6 years, 35.6% were pregnant & lactating women, there were no adolescent beneficiaries from the sampled districts. 8.1% members of household received health education, 4.76% availed referral services, and 83% of the families received supplementary nutrition (SN), 77% told that the SN was good, in Gurgaon beneficiaries told that quality of the SF was poor. Maximum awareness on immunization was found in Fatehbad and Gurgaon. The delivery of the beneficiaries was 933.63% attended by the ANM or trained dai 36.8% told that AWW provides medicines during pregnancy.[6]

Formal sessions on Nutrition & Health Education (NHE) were conducted in 26.67% of AWC, 6.67% of the AWC conducted it every 6 months, 13.33% of AWC's conducted NHE for every year. 77.33% expressed dissatisfaction for the irregularity of the NHE programs. 65.33% told that teaching was not satisfactory in the AWC. 100% of beneficiaries were aware of the health services provided by the AWC, 60% were satisfied with the services. 60% of the AWW told that health check up was carried out for children and the women at least once in 3 months. 26.67% beneficiaries were aware of the referral services and 17.33% were satisfied with the services. All the children were weighed in the AWC, but only 46.67% were interpreted on the growth trends. All the beneficiaries were aware of the SF provided by the AWW, but none of them were satisfied with the poor quality, irregular supply of the SF, insufficient quantity of the food. 100% beneficiaries were aware of the PSE component, but only 26.67% were satisfied with the PSE imparted from the AWW.[7]

The results showed that: Respondents were satisfied with the distribution of the supplementary nutrition. The community was hardly aware of the fact that enrolment of the name of the pregnant women was done to the AWW, to get supplementary food. Almost 33% of villages, pregnant

women did not register their name to the AWW. Beneficiaries were reportedly getting IFA tablets but consumption pattern of IFA was seen to be a major bottleneck. There was no awareness regarding T.T vaccination in adolescent girls in one village of Chamba block. In 40% of villages, Colostrums were not being fed. Only 50% of the children were exclusively breastfed for 6 months.[8]

Children (6 months – 3 Years) constituted for 35.53%, Children 3-6 years constituted for 30.92%, children below 6 months were 8.33%, lactating mothers and pregnant females were 25%. 68% of the beneficiaries mentioned that the quality of the supplementary food was good, 31% told it was satisfactory. 32% beneficiaries were advised for health check up and nutrition, all pregnant women were provided with IFA tablets. 40% of the respondents said that health check up was organized monthly once. Solan was the best served district for the health check up.[10]

PSE activities were found to be better in tribal areas, the rote memory in counting was found to be : 47.62%, 41.67% and 49.39% for rural, tribal and urban sample. For counting up to five objects, tribal children performed better (54.94%), followed by urban (55.60%) and rural sample (55.10%).[11]

It was found that 40% respondents were not availing any kind of child care services (formal institutional services) and they were simply staying at home. Nearly half of the respondents (47.3%) believed that the purpose of existence of the AWC was to look after the children. Majority of the respondents were of the opinion that supplementary nutrition was provided in the AWC for the growth (47.3%) and nutritional development (32.7%) of children. Respondents were quite aware of the provision of supplementary nutrition, but not aware of the special care given to malnourished children under the supplementary nutrition programme (SNP). On an average 40% of the respondents mentioned that they were not fully aware that ECE contributes to the child's holistic development.[12]

In Kazhakuttom ICDS project 78% of the children were in normal category in terms of current weight status, which varied from 56% in the case of Grade C AWCs to 93% for Grade D. Comparing the weights of children at the time of enrolment and current weights, Grade D AWCs had shown remarkable improvement. The Grade A AWCs showed no change in terms of percentage of children in normal, Grade 1 and Grade 2, when comparing the current weight and

weight of children at the time of enrolment to Anganwadi pre-schools. In terms of weight at enrolment and current weight, Grade D had shown the best nutritional status and progress. It was found that Grade A AWC of Amboori panchayat, which is a tribal area, had 96.7% enrollment of children from Below Poverty Line (BPL) families. This was completely a BPL area and was also highly inaccessible because of which there were no private schools.[13]

A study revealed the factors influencing the non-enrollment of children in the ICDS Anganwadi centres at Chennai in 2007. The study interpreted the results the purpose of the AWC was known by the 47.3% mothers, 32.7% knew regarding the supplementary nutrition given at AWC, but were unaware regarding special care given to malnourished children. 40% were not aware regarding the Early Childhood Education (E.C.E), 17.3% enrolled their children to the AWC after the approach of the AWW or the helper. Only 11.3% felt that ICDS offered good quality services to the beneficiaries. 50.7% of the mothers mentioned that the AWW in their habitation was not friendly. 100% mothers told that PSE should be given in their mother tongue which is good for the child but overwhelming majority 91.3% told that teaching in English would be better for the child future. 25.3% mothers did not send their children to the AWC was the reason of the AWW's attitude.[14]

Supplementary nutrition was considered adequate by 96% mothers of the beneficiaries. 92% of the mothers mentioned that the quality of the food was good. Over 26.32% received complete immunization of children (9-12 Months), about 73% of the children had received health services from AWW. 99% mothers of beneficiaries were sending their children for preschool education. Among them females were 53% and males were 47%, it was found that out of 10 lactating mothers 8 did not receive any IFA tablets from AWW. 93% of the pregnant women had received at least 1 ANC, but 22% pregnant women received supplementary food. And 90% pregnant women received IFA tablet from the AWW. Place of delivery was home that is in 58% and 39% in the hospital. Type of birth Attendant: Traditional Birth Attendant: Traditional Birth Attendant (T.B.A)-22%, ANM-7%, PHC-34%. 88% said that there was no Balika Mandal Yojana in their village. About 92% of the AWW did growth monitoring correctly. 12% of the mothers told that there was irregular supply of the food and 12% told that even medicines given at AWC was irregular.[15]

Rationale for the Study

Children, who do not attend under ICDS, are deprived of services which are their due right. Several evaluation studies have been done earlier to study the functioning, placement, impact and effectiveness of the ICDS programme, but there have been few or no studies which analysed the factors for Low attendance of children in the ICDS Anganwadi centres. This study was conducted to evaluate the factors responsible for low attendance of children at AWCs functioning under the Junagadh district of Gujarat.

Research Question

What are the factors responsible for low attendance of children availing the services at the Anganwadi center?

Objective

The study aimed to:

1. To assess the factors responsible for low attendance of children in the AWC.
2. To assess the profile of drop-outs children and their families
3. To assess the awareness level among the community about ICDS

Methodology

Area of Study:

The study was conducted in Junagadh district of Gujarat for two months (10th March to 10th May). Two Blocks were selected based on the criteria of low attendance of children at AWC based on the physical reporting from the District. The data was collected by visiting 20 Anganwadi centres of

Mangrol and Veraval blocks of Junagadh and homes of Beneficiaries. The beneficiaries included mothers of the children (0-6 Years).

Primary data was collected from the field through self administered questionnaires and in depth interviews. The questionnaire included questions regarding the community awareness about the services provided by ICDS. The questionnaire also focused on understanding the factors that lead to the Low attendance of Children (0-6 Years) at the Anganwadi Centre.

Type of Study:

Descriptive cross sectional study was carried out as the primary goal of the study was to assess the knowledge and awareness level among the community about the ICDS programme and the various factors that responsible for low strength of children (0-6 Years) at AWC.


Sampling Procedure:

Random sampling of Children in the 2 blocks of the Junagadh district conducted for the study. The sample for the present study comprises of 100 enrolled children aged 0 years to 6 years residing in ICDS area were selected for the study and information was gathered from their mothers belonging to 2 blocks of the Junagadh district in Gujarat.

All the enrolled children belonging to the 2 blocks of Junagadh District (Mangrol and Veraval) were purposively selected from MPR of the Junagadh district due to their low attendance of children at AWC. 100 enrolled children were then selected by lottery method. Then these 100 enrolled children were then interviewed 20 children per week for 5 weeks. The questionnaire comprises of 3 sections, 1st section comprises of the factors responsible for low attendance of children at AWC. 2nd section was related to the demographic profile and socio economic indicators and 3rd section was related to the awareness about the ICDS among the religion. These questionnaire was explained to the beneficiaries in Gujarati and the data was then collected. Then these data were analyzed in SPSS. The Questionnaires has been attached in annexure.

Results and Discussion

In this section of the report, we compile some of the results from the analyzed data and discuss about the same. These results showed that demographic and socio economic indicators of the Low attendance of children at AWC at the ICDS, awareness about the ICDS services among the religion, behavior of the Anganwadi worker and the factors responsible for low strength of children (Children 0-6 Years) at AWC.



According to Figure 1, Majority of the respondents are aware about the ICDS service with 60% & 64% in Mangrol&Visavadar block and 40% & 36% respondents told that they are not aware about the ICDS services in respective block.

Figure 2: Awareness about ICDS service among Religion





Figure 2 shows that Most of the mothers of children 0-6 years belonged to Hindu and Muslim with 66% & 58% respectively aware about the ICDS service.

Figure 3: Behaviour of Anganwadi worker



According to Figure 3, Among 100 respondents, most of them (78% & 69% in Mangrol&Visavadar) told that the behavior of the AWW was friendly with them, 22% & 31% in




Figure 4 shows that Most of the mothers were aware regarding supplementary nutrition/food provided at AWC at Mangrol&Visavadar block with 30% & 45%. But awareness about the Preschool Education, ECE and Child feeding & growth chart was low about 18% and 32% in Mangrol&Visavadar block. Out of 100 mothers, 32% & 40% of them knew regarding advice on immunization given by the AWW.

Figure 5: Factors Influencing the low attendance of Children at AWCs




Figure 5 Shows that, Among 100 respondents, 65% & 80% in Mangrol & Visavadar told that the Anganwadi worker regularly in respective blocks. 60% & 70% respondents said that the Anganwadi worker attend Anganwadicentre regularly in respective block. Poor physical infrastructure was 20% & 5% respondents in Mangrol 15% and Visavadar 5% said that the behavior of Anganwadi worker was the reason for Low strength at Anganwadicentre. 30% & 55% respondents in Mangrol & Visavadar said that the overlapping of school & Anganwadi timing was responsible for that. Teaching in Gujarati was the reason for children (0-6 Years) low strength in Mangrol & Visavadar block with 18% & 38% respectively. Increased distance to Anganwadicentre was responsible for low strength of children at AWC with 41% & 20% in Mangrol & Visavadar block.

Table No 1: Demographic & Socio-Economic Indicators				
		Mangrol	Visavadar	Total
Age	<1 Year	0%	0%	0%
	1 Year - 3 Year	22%	2%	24%
	3 Year - 5 Year	53%	21%	74%
Class Passed	No school	62%	14%	76%
	LKG	4%	6%	10%
	KG	6%	3%	9%
	HKG	3%	0%	3%
	1st STD	1%	0%	1%
	Tuition	1%	0%	1%
Religion	Hindu	20%	23%	43%
	Muslim	57%	0%	57%
Number of Siblings	1-3 Siblings	52%	17%	69%
	4-6 Siblings	25%	6%	31%
Birth Order	<=4	75%	21%	96%
	>4	2%	2%	4%
Household Occupation	Farmer	10%	17%	27%
	Labour Work	64%	3%	67%
	Others	3%	3%	6%
Family Types	Joint	64%	15%	79%
	Nuclear	13%	8%	21%
Family Size	<=4 Members	8%	5%	13%
	>4 Members	69%	18%	87%
Type of Household	Kuccha	2%	0%	2%
	Semikuccha	18%	7%	25%
	Pucca	57%	16%	73%

Conclusion

Although ICDS services in India have been created, strengthened and expanded over the years, their output in terms of function and utilization particularly in rural areas is still limited.

Among 100 respondents, 65% & 80% in Mangrol&Visavadar told that the Anganwadi work regularly in respective blocks. 60% & 70% respondents said that the Anganwadi worker attend Anganwadicentre regularly in respective block. Poor physical infrastructure was 20% & 5%. respondents in Mangrol15% and Visavadar 5% said that the behavior of Anganwadi worker was the reason for Low strength at Anganwadicentre. 30% & 55% respondents in Mangrol&Visavadar said that the overlapping of school & Anganwadi timing was responsible for that. Teaching in Gujarati was the reason for children (0-6 Years) low strength in Mangrol&Visavadar block with 18% & 38% respectively. Increased distance to Anganwadicentre was responsible for low strength of children at AWC with 41% & 20% in Mangrol&Visavadar block.

Besides that the basic & majority of the qualification of Anganwadi worker of the Junagadh district were not more than 9th Class passed as majority of them are widowed. So, the quality of Preschool education & Early Childhood Education at the Anganwadi Centre is low compare to English Medium Primary school.

Recommendations

- Information, Education & Communication (I.E.C) activities needs to be strengthened keeping in mind regarding the socio-cultural context in order to bring behavioral change among the rural communities towards ICDS services provided by the Government. This should be supported with the availability of the services like: improved quality of the supplementary food, rhyme-books for children below 6 years and health educations materials for the beneficiaries.
- To create awareness in the community regarding the services available at the AWC and utilization of services by the beneficiaries.
- There is a need to involve both parents by devising special IEC program for them to drag attention of their vital role in parenting. As there is a need for creating awareness regarding the importance of husband wife communication which plays a significant role in utilization of ICDS services for the beneficiaries.
- Health staff and AWW should motivate the beneficiaries to register their name in the AWC.

Thus, integrated approaches are needed to improve health of women and children.

Reference

1. ICDS-5th Report of the Commissioner to the Supreme Court.
Available at: www.righttofoodindia.org/icds-comrs5th-report-html
2. INTEGRATED CHILD DEVELOPMENT SERVICES (ICDS) IN INDIA.
Available at: www.unicef.org/chinese/earlychildhood/files/india_icds.pdfwcd.nic.in/icd.htm
3. Integrated Childhood Development services Program (ICDS) – Are results meeting expectations? Chapter 2.
Available at: www.siteresources.worldbank.org/.../undernourished_chapter_2.pdf
4. Professor Ahmed F.U, Integrated Childhood Development Services Program (ICDS) – a turning point in Indian Public Health.
Available at: www.iphaonline.org/academy/concept-papers/pdf/icds_review.pdf
5. Nutrition Data 2005-2006 National Family Health Survey (NFHS-3) India Fact Sheet.
Available at: www.nfhsindia.org/factsheet.html
6. National Family Health Survey (NFHS-3) 2005-2006 India National Reports, Nutrition & Malnutrition Resources for India: Strategies for Children under Six.
Available at: www.unicef.org/socialpolicy/files/ChildrenUnderSix.pdf
7. 32 million children in India don't get early childhood care – Report January 22, 2009: Copyright 2011 National Network of education (NNE).
Available at: www.igovernment.in/Health
8. UNICEF India – Nutrition – Under-nutrition – a challenge for India
Available at: www.unicef.org/india/nutrition_1556.htm
9. Has ICDS Reduced Child Under – nutrition in India? An analysis of program effectiveness and impact.
Available at: desiindia.org/child-development.html
10. Food Security Bill, ICDS can reap the benefits only with proper implementation.
Available at: www.Articles.economictimes.indiatimes.com.Growth-Rate2 Feb. 2012
11. Recommendations for a reformed and strengthened Integrated child Development Services (ICDS) by National Advisory Council June, 2011.
Available at: nac.nic.in/pdf/ICDS.pdf
12. Dongre.A, Deshmukh P, Garg.B. Eliminating Childhood Malnutrition Discussion with Mothers and Anganwadi workers. JOURNAL OF HEALTH STUDIES. 2008: 1,2,3.
Available at: www.esocialsciences.com/essjournalarticles/Article14116.pdf

Annexure

Assessing the factors responsible for low strength of children at AWC in Integrated Child Development Services

Interview Schedule (For Community)

Informed Consent: We would like to thank you for taking the time to meet us. We would like to talk to you about your awareness regarding ICDS services. The interview should take about 20 minutes. The responses will be kept confidential. This means that the interview responses will be shared only with the research team and we will ensure that any information that we include in our report does not identify you as the respondent. Remember, you don't have to talk about anything that you don't want to and you can end the interview at any time.

Instruction for filling the Questionnaire

1. Please fill in the following questionnaire on the basis of your knowledge.
2. The Questionnaire contains different type of questions viz.:
 - (a) Some questions require specific information.
 - (b) Some questions are of Yes/No category, where only one option can be selected
 - o Yes
 - o No
3. Extra space provided for answering subjective questions.

Do you have any questions about what I just explained?

Are you willing to participate in the interview?

Interviewee Signature

	Coding Characteristics	Codes
District		
Block		
Name of Anganwadi Centre		
Location of Anganwadi Centre	1.Center of Village 2.Periphery of Village 3.Distant tola/Hamlet	
Anganwadi run by	1 State Government 2 Panchayat 3 NGO 4 Others (Mention Name)	
Date of Establishment of Anganwadi Centre		
Total Population		
Total Families		
Children Population (0-6 Years)		
Household Number		
Date of Interview		

Section A: Factor responsible for low strength of Children (0-6 Years) at AWC			
Q. NO.	QUESTIONS	CODING CATEGORIES	Codes
C1	Does the Anganwadi works regularly?	1 Yes 2 No	
C2	Does Anganwadi Worker (AWW) attend Anganwadi Centre (AWC) regularly?	1 Yes 2 No	
C3	Does the Anganwadi helper is regular in her duties?	1 Yes 2 No	
C4	Is your Child enrolled at AWC?	1 Yes 2 No	
C5	Do you send your child to AWC regularly?	1 Yes 2 No	If Yes, then end the Interview.
C6	Whether poor physical infrastructure was the reason for low strength of children in AWC?	1 Yes 2 No	
C7	Behavior of AWW?	1 Friendly 2 Not Friendly	
C8	Whether teaching in Gujarati was the reason for their child's low strength at AWC?	1 Yes 2 No	
C9	Whether teaching in English was also mandatory for child future in AWC?	1 Yes 2 No	
C10	Do you feel proud in sending your children to English medium preschool?	1 Yes 2 No	
C11	Whether AWC was far away that's the reason for not sending their child to AWC?	1 Yes 2 No	

Section B: Demographic & Socio-economic Indicators			
Q. NO.	QUESTIONS	Coding Characteristics	Codes
A1	Name of the Beneficiaries		
A2	Age		
A3	Class Passed		
A4	Caste		
A5	Religion		
A6	Number of siblings		
A7	Birth Order		
A8	Household occupation		
A9	Family Type	1 Joint 2 Nuclear	
A10	Family Size	1 <=4 members 2 >=4 members	
A11	Type of Household	1 Kuccha 2 Semikuccha 3 Pucca	

Section C: Awareness level among the community about the ICDS programme			
Q. NO.	QUESTIONS	CODING CATEGORIES	Codes
B1	Whether you were aware about the ICDS services?	1 Yes 2 No	
B2	Whether ICDS services are beneficial?	1 Yes 2 No	

B3	Do you know the purpose of AWC was to provide Supplementary nutrition to young children?	1 Yes 2 No	
B4	How is the Quality & Quantity of the supplementary food provided at the Anganwadi Centre?	1 Acceptable 2 Not Acceptable	
B5	Do you know that the Growth Monitoring & Health Check up services are available at AWC?	1 Yes 2 No	
B6	Do you know that the Pre School Education is given at the Anganwadi Centre?	1 Yes 2 No	
B7	Whether mothers are aware about ECE contributed to the child holistic development?	1 Yes 2 No	
B8	Do you know that advice on Immunization is given at Anganwadi Centre?	1 Yes 2 No	

Name of the investigators:

Signature of investigators:

Thank You